



PERFORATED PLATE SIEVES

Endecotts manufacture a wide range of perforated plate sieves for the many industries that require them. These are available in diameter sizes of 200*, 300*, 400 and 450 mm. Aperture sizes range from 125 mm to 4 mm in square hole and 125 mm to 1 mm in round hole sieves. Perforated plate sieves can be supplied in frame materials of stainless steel or brass (*200 and 300mm) and are all manufactured to the highest engineering standards to ensure quality and accuracy. Woven wire sieves and perforated plate sieves are available to every national and international standard. Quick links: International Test Sieve Series (ISO) American Standard Test Sieve Series (ASTM)

EMBRACE



THE CHANGE!

PRODUCT ADVANTAGES

- | Precision frame (ensures consistent nestability)
- | Precise aperture (in accordance with ISO 3310-2, ASTM E323 or other specifications)
- | Natural fillet (free flowing of sample)
- | Totally sealed (no crevice to lose material)
- | Evenly tensioned mesh (ensures accurate analysis)
- | Safe edge (big radius makes it comfortable to handle)
- | Serial number (ensures full traceability)

PERFORATED PLATE SIEVES

TECHNICAL DATA

Type of medium	perforated plate with square or round holes
Diameter	200 / 300 / 400 / 450 mm
Aperture sizes	125 - 1 mm round hole 125 - 4 mm square hole
Frame material	stainless steel / *brass
Perforated plate material	stainless steel / plated steel
Height	full and half height version

www.endecotts.com/sieves

ORDER DATA

	# mm	frame	mesh	standard	height	Ø
200SIR125.	125.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR112.	112.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR106.	106.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR100.	100.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR90.0	90.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR80.0	80.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR75.0	75.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR71.0	71.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR63.0	63.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR56.0	56.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR53.0	53.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR50.0	50.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR45.0	45.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR40.0	40.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR37.5	37.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR35.5	35.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm

200SIR31.5	31.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR28.0	28.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR26.5	26.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR25.0	25.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR22.4	22.40 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR20.0	20.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR19.0	19.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR18.0	18.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR16.0	16.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR14.0	14.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR13.2	13.20 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR12.5	12.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR11.2	11.20 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR10.0	10.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR9.50	9.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR9.00	9.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR8.00	8.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR7.10	7.10 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm

200SIR6.70	6.70 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR6.30	6.30 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR5.60	5.60 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR5.00	5.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR4.75	4.75 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR4.50	4.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR4.00	4.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR3.55	3.55 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR3.35	3.35 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR3.15	3.15 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR2.80	2.80 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR2.50	2.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR2.36	2.36 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR2.24	2.24 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR2.00	2.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.80	1.80 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.70	1.70 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.60	1.60 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm

200SIR1.40	1.40 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.25	1.25 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.18	1.18 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.12	1.12 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIR1.00	1.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200S_STLID	Lid	stainless steel	200 mm			
200S_STREC	Receiver	stainless steel	full		200 mm	
200S_STINT	Intermediate Receiver	stainless steel	full		200 mm	
200S_STRECH	Lid & Receiver	stainless steel	full		200 mm	
200S_STINTH	Intermediate Receiver	stainless steel	full		200 mm	

Ø 300 MM ROUND HOLE		STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
	# mm	frame	mesh	standard	height	Ø
300SIR125.	125.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR112.	112.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR106.	106.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR100.	100.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR90.0	90.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR80.0	80.00 mm	stainless	round hole perforated	ISO 3310-2	full	300

		steel	plated steel			mm
300SIR75.0	75.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR71.0	71.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR63.0	63.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR56.0	56.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR53.0	53.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR50.0	50.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR45.0	45.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR40.0	40.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR37.5	37.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR35.5	35.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR31.5	31.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR28.0	28.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR26.5	26.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR25.0	25.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR22.4	22.40 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR20.0	20.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR19.0	19.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR18.0	18.00 mm	stainless	round hole perforated	ISO 3310-2	full	300

		steel	plated steel			mm
300SIR16.0	16.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR14.0	14.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR13.2	13.20 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR12.5	12.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR11.2	11.20 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR10.0	10.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR9.50	9.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR9.00	9.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR8.00	8.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR7.10	7.10 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR6.70	6.70 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR6.30	6.30 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR5.60	5.60 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR5.00	5.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR4.75	4.75 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR4.50	4.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR4.00	4.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR3.55	3.55 mm	stainless	round hole perforated	ISO 3310-2	full	300

		steel	plated steel			mm
300SIR3.35	3.35 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR3.15	3.15 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR2.80	2.80 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR2.50	2.50 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR2.36	2.36 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR2.24	2.24 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR2.00	2.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.80	1.80 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.70	1.70 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.60	1.60 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.40	1.40 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.25	1.25 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.18	1.18 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.12	1.12 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300SIR1.00	1.00 mm	stainless steel	round hole perforated plated steel	ISO 3310-2	full	300 mm
300S_STLID	Lid	stainless steel	300 mm			
300S_STREC	Receiver	stainless steel	full		300 mm	
300S_STINT	Intermediate	stainless	full		300 mm	

	Receiver	steel		
300S_STRECH	Receiver	stainless steel	half	300 mm
300S_STINTH	Intermediate Receiver	stainless steel	half	300 mm

Ø 400 MM	ROUND HOLE	STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
	# mm	frame	mesh	standard	height	Ø
400SIR125.	125.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR112.	112.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR106.	106.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR100.	100.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR90.0	90.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR80.0	80.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR75.0	75.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR71.0	71.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR63.0	63.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR56.0	56.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR53.0	53.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR50.0	50.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR45.0	45.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm

400SIR40.0	40.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR37.5	37.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR35.5	35.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR31.5	31.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR28.0	28.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR26.5	26.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR25.0	25.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR22.4	22.40 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR20.0	20.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR19.0	19.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR18.0	18.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR16.0	16.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR14.0	14.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR13.2	13.20 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR12.5	12.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR11.2	11.20 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR10.0	10.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR9.50	9.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm

400SIR9.00	9.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR8.00	8.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR7.10	7.10 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR6.70	6.70 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR6.30	6.30 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR5.60	5.60 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR5.00	5.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR4.75	4.75 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR4.50	4.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR4.00	4.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR3.55	3.55 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR3.35	3.35 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR3.15	3.15 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR2.80	2.80 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR2.50	2.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR2.36	2.36 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR2.24	2.24 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR2.00	2.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm

400SIR1.80	1.80 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.70	1.70 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.60	1.60 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.40	1.40 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.25	1.25 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.18	1.18 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.12	1.12 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIR1.00	1.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400S_STLID	Lid	stainless steel	400 mm			
400S_STREC	Receiver	stainless steel	full		400 mm	
400S_STINT	Intermediate Receiver	stainless steel	full		400 mm	

Ø 450 MM ROUND HOLE		STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
	# mm	frame	mesh	standard	height	Ø
450SIR125.	125.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR112.	112.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR106.	106.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR100.	100.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR90.0	90.00 mm	stainless	round hole perforated	ISO 3310-2	full	450

		steel	stainless steel plate			mm
450SIR80.0	80.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR75.0	75.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR71.0	71.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR63.0	63.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR56.0	56.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR53.0	53.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR50.0	50.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR45.0	45.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR40.0	40.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR37.5	37.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR35.5	35.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR31.5	31.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR28.0	28.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR26.5	26.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR25.0	25.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR22.4	22.40 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR20.0	20.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR19.0	19.00 mm	stainless	round hole perforated	ISO 3310-2	full	450

		steel	stainless steel plate			mm
450SIR18.0	18.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR16.0	16.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR14.0	14.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR13.2	13.20 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR12.5	12.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR11.2	11.20 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR10.0	10.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR9.50	9.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR9.00	9.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR8.00	8.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR7.10	7.10 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR6.70	6.70 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR6.30	6.30 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR5.60	5.60 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR5.00	5.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR4.75	4.75 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR4.50	4.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR4.00	4.00 mm	stainless	round hole perforated	ISO 3310-2	full	450

		steel	stainless steel plate			mm
450SIR3.55	3.55 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR3.35	3.35 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR3.15	3.15 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR2.80	2.80 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR2.50	2.50 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR2.36	2.36 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR2.24	2.24 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR2.00	2.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.80	1.80 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.70	1.70 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.60	1.60 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.40	1.40 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.25	1.25 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.18	1.18 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.12	1.12 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIR1.00	1.00 mm	stainless steel	round hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450S_STLID	Lid	stainless steel	450 mm			
450S_STREC	Receiver	stainless	full		450 mm	

450S_STINT	Intermediate Receiver	stainless steel	full	steel	450 mm
------------	-----------------------	-----------------	------	-------	--------

Ø 200 MM SQUARE HOLE		STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
	# mm	frame	mesh	standard	height	Ø
200SIS125.	125.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS112.	112.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS106.	106.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS100.	100.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS90.0	90.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS80.0	80.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS75.0	75.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS71.0	71.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS63.0	63.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS56.0	56.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS53.0	53.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS50.0	50.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS45.0	45.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS40.0	40.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm

200SIS37.5	37.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS35.5	35.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS31.5	31.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS28.0	28.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS26.5	26.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS25.0	25.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS22.4	22.40 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS20.0	20.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS19.0	19.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS18.0	18.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS16.0	16.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS14.0	14.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS13.2	13.20 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS12.5	12.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS11.2	11.20 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS10.0	10.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS9.50	9.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS9.00	9.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm

200SIS8.00	8.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS7.10	7.10 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS6.70	6.70 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS6.30	6.30 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS5.60	5.60 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS5.00	5.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS4.75	4.75 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS4.50	4.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200SIS4.00	4.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	200 mm
200S_STLID	Lid	stainless steel	200 mm			
200S_STREC	Receiver	stainless steel	full		200 mm	
200S_STINT	Intermediate Receiver	stainless steel	full		200 mm	
200S_STRECH	Lid & Receiver	stainless steel	full		200 mm	
200S_STINTH	Intermediate Receiver	stainless steel	full		200 mm	

Ø 300 MM SQUARE HOLE		STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
	# mm	frame	mesh	standard	height	Ø
300SIS125.	125.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS112.	112.00 mm	stainless	square hole perforated	ISO 3310-2	full	300

		steel	plated steel			mm
300SIS106.	106.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS100.	100.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS90.0	90.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS80.0	80.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS75.0	75.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS71.0	71.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS63.0	63.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS56.0	56.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS53.0	53.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS50.0	50.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS45.0	45.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS40.0	40.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS37.5	37.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS35.5	35.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS31.5	31.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS28.0	28.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS26.5	26.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS25.0	25.00 mm	stainless	square hole perforated	ISO 3310-2	full	300

		steel	plated steel			mm
300SIS22.4	22.40 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS20.0	20.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS19.0	19.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS18.0	18.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS16.0	16.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS14.0	14.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS13.2	13.20 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS12.5	12.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS11.2	11.20 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS10.0	10.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS9.50	9.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS9.00	9.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS8.00	8.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS7.10	7.10 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS6.70	6.70 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS6.30	6.30 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS5.60	5.60 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS5.00	5.00 mm	stainless	square hole perforated	ISO 3310-2	full	300

		steel	plated steel			mm
300SIS4.75	4.75 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS4.50	4.50 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300SIS4.00	4.00 mm	stainless steel	square hole perforated plated steel	ISO 3310-2	full	300 mm
300S_STLID	Lid	stainless steel	300 mm			
300S_STREC	Receiver	stainless steel	full		300 mm	
300S_STINT	Intermediate Receiver	stainless steel	full		300 mm	
300S_STRECH	Receiver	stainless steel	half		300 mm	
300S_STINTH	Intermediate Receiver	stainless steel	half		300 mm	

Ø 400 MM	SQUARE HOLE	STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
	# mm	frame	mesh	standard	height	Ø
400SIS125.	125.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS112.	112.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS106.	106.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS100.	100.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS90.0	90.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS80.0	80.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS75.0	75.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm

400SIS71.0	71.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS63.0	63.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS56.0	56.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS53.0	53.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS50.0	50.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS45.0	45.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS40.0	40.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS37.5	37.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS35.5	35.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS31.5	31.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS28.0	28.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS26.5	26.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS25.0	25.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS22.4	22.40 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS20.0	20.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS19.0	19.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS18.0	18.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS16.0	16.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm

400SIS14.0	14.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS13.2	13.20 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS12.5	12.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS11.2	11.20 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS10.0	10.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS9.50	9.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS9.00	9.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS8.00	8.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS7.10	7.10 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS6.70	6.70 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS6.30	6.30 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS5.60	5.60 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS5.00	5.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS4.75	4.75 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS4.50	4.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400SIS4.00	4.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	400 mm
400S_STLID	Lid	stainless steel	400 mm			
400S_STREC	Receiver	stainless steel	full		400 mm	

400S_STINT	Intermediate Receiver	stainless steel	full	400 mm
------------	-----------------------	-----------------	------	--------

Ø 450 MM SQUARE HOLE		STAINLESS STEEL	FULL HEIGHT	ISO 3310-2		
#	mm	frame	mesh	standard	height	Ø
450SIS125.	125.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS112.	112.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS106.	106.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS100.	100.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS90.0	90.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS80.0	80.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS75.0	75.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS71.0	71.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS63.0	63.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS56.0	56.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS53.0	53.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS50.0	50.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS45.0	45.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS40.0	40.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS37.5	37.50 mm	stainless	square hole perforated	ISO 3310-2	full	450

		steel	stainless steel plate			mm
450SIS35.5	35.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS31.5	31.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS28.0	28.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS26.5	26.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS25.0	25.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS22.4	22.40 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS20.0	20.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS19.0	19.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS18.0	18.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS16.0	16.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS14.0	14.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS13.2	13.20 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS12.5	12.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS11.2	11.20 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS10.0	10.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS9.50	9.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS9.00	9.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS8.00	8.00 mm	stainless	square hole perforated	ISO 3310-2	full	450

		steel	stainless steel plate			mm
450SIS7.10	7.10 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS6.70	6.70 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS6.30	6.30 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS5.60	5.60 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS5.00	5.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS4.75	4.75 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS4.50	4.50 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450SIS4.00	4.00 mm	stainless steel	square hole perforated stainless steel plate	ISO 3310-2	full	450 mm
450S_STLID	Lid	stainless steel	450 mm			
450S_STREC	Receiver	stainless steel	full		450 mm	
450S_STINT	Intermediate Receiver	stainless steel	full		450 mm	